

LUNOS

energy-efficient



EXHIBITS

LUNOS Trade Fair Presentation

Our exhibits at the fair

Quality is what stands the test of time

LUNOS is a Berlin-based company and market leader for decentralised residential ventilation systems. The company was founded in 1959 and is based in Berlin-Spandau to this day. In 2019, a second location was established in Brandenburg. This has created even more expansion opportunities for the company, which produces its products Made in Germany and sells them in over 36 countries worldwide.

LUNOS stands for more than indoor climate

The core competences of LUNOS lie in controlled decentralised residential ventilation with and without heat recovery, as well as in the development and manufacture of energy-efficient fans and outer wall air vents. Furthermore, LUNOS develops all associated components, as well as many other products, such as exhaust fans and façade ventilation systems with hidden ventilation openings.

Present yourself at the highest level with the trade fair exhibits from LUNOS. The fully functional exhibits have been developed by LUNOS and can be combined with the various optional components available.


Contents

Table exhibits	4 - 19
Table exhibits - General overview	20 - 21
System exhibits	22 - 29
System exhibits - General overview	30 - 31

Pages

4 - 19
20 - 21
22 - 29
30 - 31

Made in Germany



LUNOS
energy-efficient

LUNOS
energy-efficient

60 Jahre Qualität

60 Jahre Qualität

NEU NEU

LUNOS

Zur- und Abluft; Zur- und Abluft

LUNOS LUNOS



ALD, ALD-SV and ALD-S Table Top Exhibits

Combination with the inner screens and outer closures of the 160 series

Complete functional Plexiglas table top exhibit of the outer wall air vents incl. inner screens and outer closures.



ALD, ALD-SV and ALD-S Table Top Exhibits



The variety of combinations


Available ALD built-in devices

- ALD:** Outer wall air vent
- ALD-SV:** Outer wall air vent
- ALD-S:** Outer wall air vent



Available inner screens

- 9/IBE**
- 9/IBK or 9/IBG**
- 9/IBS**
- 9/IBK-H or 9/IBG-H**



Available outer closures

- 1/WE 180:** Outer grille white
- 1/AZ 180:** Outer grille anthracite
- 1/BE 180:** Outer grille sanded
- 1/HWE:** Outer hood white
- 1/HAZ:** Outer hood anthracite
- 1/HES:** Outer hood stainless steel



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your table top exhibit according to your wishes.

e² Table Top Exhibit

Combination with the inner screens and outer closures of the 160 series

Complete functional Plexiglas table top exhibit of the e² fan with heat recovery incl. control unit, inner screen and outer closure. Power connection with standard Schuko plug.



GESTURE CONTROL

If equipped with gesture control, the display stand is made of white Plexiglas for better visibility.

e² Table Top Exhibit

The variety of combinations



Available controls

- 5/UNI-FT:** Universal Control
- 5/SC-FT:** Smart Comfort
- 5/GS:** Gesture Control



Available inner screens

- 9/IBE**
- 9/IBK or 9/IBG**
- 9/IBS**
- 9/IBK-H or 9/IBG-H**



Available outer closures

- 1/WE 180:** Outer grille white
- 1/AZ 180:** Outer grille anthracite
- 1/BE 180:** Outer grille sanded
- 1/HWE:** Outer hood white
- 1/HAZ:** Outer hood anthracite
- 1/HES:** Outer hood stainless steel



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your table top exhibit according to your wishes.

e²60 Table Top Exhibit

Combination with the inner screens and outer closures of the 160 series

Complete functional Plexiglas Table Top Exhibit of the e²60 fan with heat recovery incl. control unit, inner screen and outer closure.
Power connection with standard Schuko plug.



GESTURE CONTROL

If equipped with gesture control, the display stand is made of white Plexiglas for better visibility.

e²60 Table Top Exhibit

The variety of combinations



Available controls

- 5/UNI-FT:** Universal Control
- 5/SC-FT:** Smart Comfort
- 5/GS:** Gesture Control



Available inner screens

- 9/IBE**
- 9/IBK or 9/IBG**
- 9/IBS**
- 9/IBK-H or 9/IBG-H**



Available outer closures

- 1/WE 180:** Outer grille white
- 1/AZ 180:** Outer grille anthracite
- 1/BE 180:** Outer grille sanded
- 1/HWE:** Outer hood white
- 1/HAZ:** Outer hood anthracite
- 1/HES:** Outer hood stainless steel



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your table top exhibit according to your wishes.

LUNOthem-S and -S+ Table Top Exhibits

Combination with units of the 160 series

Complete functional Plexiglas tabletop exhibit, consisting of the LUNOthem-S or -S+ and a 160 ventilation unit.
Power connection with standard Schuko plug.



LUNOtherm-S and -S+ Table Top Exhibits



The variety of combinations

Available 160 ventilation units

e²:	Ventilation with heat recovery
e²60:	Ventilation with heat recovery
RA 15-60:	Radial exhaust air unit
ALD:	Outer wall air vent
ALD-SV:	Outer wall air vent
ALD-S:	Outer wall air vent



Available controls


With ventilation units e², e²60 and RA 15-60

5/UNI-FT:	Universal Control
5/SC-FT:	Smart Comfort



Available inner screens

9/IBE
9/IBK or 9/IBG
9/IBS
9/IBK-H or 9/IBG-H



Available insect screens

White:	1/IL WE-S
Anthracite:	1/IL AZ-S



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your table top exhibit according to your wishes.

e⁹⁰ Table Top Exhibit

Combination with the two-channel outer hoods of the 160 series

Complete functional Plexiglas table top exhibit of the e⁹⁰ fan with heat recovery incl. control unit, inner screen and outer closure.
Power connection with standard Schuko plug.



GESTURE CONTROL

If equipped with gesture control, the display stand is made of white Plexiglas for better visibility.

e⁹⁰ Table Top Exhibit

The variety of combinations




Available controls

- 5/UNI-FT:** Universal Control
- 5/SC-FT:** Smart Comfort
- 5/GS:** Gesture Control



Available inner screen

- 2/EGI**



Available outer hoods

- 1/HWE-2:** Outer hood white
- 1/HAZ-2:** Outer hood anthracite



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your table top exhibit according to your wishes.

Ne^{xx}t-E Table Top Exhibit

Combination with the two-channel outer hoods of the 160 series

Complete functional Plexiglas table top exhibit of the Nexxt-E fan with heat recovery incl. control unit, inner screen and outer closure. Power connection with standard Schuko plug.



Ne^{xx}t-E Table Top Exhibit

The variety of combinations



Available control

The Nexxt is controlled via the integrated, backlit control panel in the inner screen.



Available inner screen

9/NXT-IBF



Available outer hoods

- 1/HWE-2: Outer hood white
- 1/HAZ-2: Outer hood anthracite



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.


In this general overview, you can put together your table top exhibit according to your wishes.

LUNOMAT Table Top Exhibit

Combination with two-channel outer hoods and room air valves

Complete functional Plexiglas table top exhibit of the LUNOMAT central ventilation unit with heat recovery incl. control unit, room air valves and outer hoods.

Power connection with standard Schuko plug.



LUNOMAT Table Top Exhibit

The variety of combinations



Available controls

- 5/UNI-FT:** Universal Control
- 5/SC-FT:** Smart Comfort
- 5/GS:** Gesture Control



Available room air valves

- Disc valve fresh air**
- Disc valve exhaust air**



Available outer hoods

- 1/HWE:** Outer hood white
- 1/HAZ:** Outer hood anthracite
- 1/HES:** Outer hood stainless steel



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your table top exhibit according to your wishes.

Silvento ec Table Top Exhibit

in all different housing types

Complete functional Plexiglas table top exhibit of the Silvento ec fan incl. control board and switch.

Power connection with standard Schuko plug.



Silvento ec Table Top Exhibit

The variety of combinations

Silvento ec and housing type

- KL-EC:** Silvento ec as clamp-in fan
V-EC + 3/UP: in a flush-mounted housing
V-EC + 3/AP: in a surface-mounted housing




Available control boards

- 5/EC-ZI:** Basic board
5/EC-ZI 90: Basic board with additional ventilation stage 90 m³/h
5/EC-FK: Comfort board
5/EC-FK 90: Comfort board with additional ventilation stage 90 m³/h
5/EC-KE: Comfort board for cellar ventilation
5/EC-FK+: Comfort board + VOC Sensor
5/EC-FK 90+: Comfort board + VOC Sensor with additional ventilation stage 90 m³/h



Available additional modules

- 5/BM:** Motion detector



Additional switches

- 5/W:** One-rocker switch
5/W2FK: Two-rocker switch for comfort board



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your table top exhibit according to your wishes.

Table Top Exhibits - General Overview

Select for the table top exhibit the control unit, inner screen and outer closure of your choice.

Equipment	Exhibits	ALD, ALD-SV and ALD-S		e ²	Art.-No.	Price	e ² 60	Art.-No.	Price
		Art.-No.	Price						
Basis versions: Exhibit - standard version	ALD	040 224	100 €	e ²	040 153	250 €	e ² 60	040 156	280 €
	ALD-SV	040 248	100 €						
	ALD-S	040 225	100 €						
Built-in devices / fan variants (One product per exhibit)	ALD ALD-SV ALD-S		incl. incl. incl.	e ²		incl.	e ² 60		incl.
Inner screens (One product per exhibit)	9/IBE 9/IBS 9/IBK, 9/IBK-H 9/IBG, 9/IBG-H		incl. + 100 € + 50 € + 100 €	9/IBE 9/IBS 9/IBK, 9/IBK-H 9/IBG, 9/IBG-H		incl. + 100 € + 50 € + 100 €	9/IBE 9/IBS 9/IBK, 9/IBK-H 9/IBG, 9/IBG-H		incl. + 100 € + 50 € + 100 €
Outer closures: - Outer grilles or - Outer hoods (One product per exhibit)	1/WE 180 1/AZ 180 1/BE 180		incl. incl. incl.	1/WE 180 1/AZ 180 1/BE 180		incl. incl. incl.	1/WE 180 1/AZ 180 1/BE 180		incl. incl. incl.
	1/HWE 1/HAZ 1/HES		+ 50 € + 50 € + 50 €	1/HWE 1/HAZ 1/HES		+ 50 € + 50 € + 50 €	1/HWE 1/HAZ 1/HES		+ 50 € + 50 € + 50 €
Control units/control boards (One product per exhibit)				5/UNI-FT 5/SC-FT 5/GS		incl. + 50 € + 100 €	5/UNI-FT 5/SC-FT 5/GS		incl. + 50 € + 100 €
Additional modules									
Switches only for Silvento ec (One product per exhibit)									

Table top exhibits in the standard version:

Even in the basic version, the exhibits are fully functional and are equipped with high-quality products. The listed special equipment allows for more individual functions and a special appearance of the exhibits.

Online-Configurator



The Configurator

Alternatively, you can conveniently put together your table top exhibit online.

LUNOtherm-S and -S+		e ⁹⁰	Ne ^{xt} -E		Silvento ec		LUNOMAT		
Art.-No.	Price	Art.-No.	Price	Art.-No.	Price	Art.-No.	Price	Art.-No.	Price
LUNOtherm-S 040 187	200 €	e ⁹⁰ 040 159	350 €	Ne ^{xt} -E 040 162	990 €	KL-EC 040 164	250 €	LUNOMAT 040 232	1300 €
LUNOtherm-S+ 040 226	220 €					V-EC + 3/AP 040 251	280 €		
						V-EC + 3/UP 040 252	280 €		
ALD ALD-SV ALD-S e ² e ² 60 RA 15-60	incl. incl. incl. + 100 € + 130 € + 50 €	e ⁹⁰	incl.	NXT-E	incl.	KL-EC (clamp-in fan) V-EC + 3/AP V-EC + 3/UP	incl. incl. incl.	LUNOMAT	incl.
9/IBE 9/IBS 9/IBK, 9/IBK-H 9/IBG, 9/IBG-H	incl. + 100 € + 50 € + 100 €	2/EGI	incl.	9/NXT-IBF	incl.	2/S-EC	incl.	valve fresh air valve exhaust air	incl. incl.
		1/HWE-2 1/HAZ-2	incl. incl.	1/HWE-2 1/HAZ-2	incl. incl.			1/HWE 1/HAZ 1/HES	incl. incl. incl.
5/UNI-FT 5/SC-FT (not necessary with ALD)	incl. + 50 €	5/UNI-FT 5/SC-FT 5/GS	incl. + 50 € + 100 €	Control panel is integrated in the inner screen 9/NXT-IBF	incl.	5/EC-ZI 5/EC-ZI 90 5/EC-FK 5/EC-FK 90 5/EC-KE 5/EC-FK+ 5/EC-FK 90+	incl. incl. + 30 € + 30 € + 30 € + 50 € + 50 €	5/UNI-FT 5/SC-FT 5/GS	incl. + 50 € + 100 €
						5/BM	+ 50 €		
						5/W 5/W2 FK	incl. incl.		

System Exhibit: 160 Series

Presentation of the supply air, exhaust air and heat recovery units

Completely functional system exhibit with three integrated devices and controls. Equipped with brochure holder and lighting. Power connection with standard Schuko plug.



Dimensions in mm (H x W x D)
2076 x 1000 x 550



SYSTEM EXHIBITS

Are handmade and assembled ready for use at LUNOS. Please note the size of the exhibit on delivery and at the place of use.



System Exhibit: 160 Series

The variety of combination

System e² series

e²: Ventilation with heat recovery

e²60: Ventilation with heat recovery

e²short: Ventilation with heat recovery

Available control units

5/SC-FT, 5/UNI-FT



System HR

e⁹⁰: Ventilation with heat recovery

e²: Ventilation with heat recovery

e²60: Ventilation with heat recovery

Available control units

5/SC-FT, 5/UNI-FT




System ALD series

ALD: Outer wall air vent

ALD-S: Outer wall air vent

ALD-SV: Outer wall air vent



System EXHAUST AIR 160 series

AB 30/60: Axial exhaust air unit

RA 15-60: Radial exhaust air unit

ALD: Outer wall air vent

Available control units

5/SC-FT, 5/UNI-FT, switches



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your system exhibit according to your wishes.

System Exhibit: Exhaust air

Presentation of the exhaust air system with ALD & Silvento ec

Completely functional system exhibit with two integrated units and controls. The Silvento ec can be equipped with various control boards and plug-in modules. Including brochure holder and lighting. Power connection with standard Schuko plug



Dimensions in mm (H x W x D)
2076 x 1000 x 550



SYSTEM EXHIBITS

Are handmade and assembled ready for use at LUNOS. Please note the size of the exhibit on delivery and at the place of use.

System Exhibit: Exhaust Air

One exhibit for the complete system



Silvento ec with housing type and available ALD

- KL-EC:** Silvento ec as clamp-in fan
V-EC + 3/UP: In a flush-mounted housing
V-EC + 3/AP: In a surface-mounted housing
ALD, ALD-SV and ALD-S




Available control boards

- 5/EC-ZI:** Basic board
5/EC-ZI 90: Basic board with additional ventilation stage 90 m³/h
5/EC-FK: Comfort board
5/EC-FK 90: Comfort board with additional ventilation stage 90 m³/h
5/EC-KE: Comfort board for cellar ventilation
5/EC-FK+: Comfort board + VOC Sensor
5/EC-FK 90+: Comfort board + VOC Sensor with additional ventilation stage 90 m³/h



Available additional modules

- 5/BM:** Motion detector



Additional switches

- 5/W:** One-rocker switch
5/W2FK: Two-rocker switch for comfort board



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your system exhibit according to your wishes.

System Exhibit: Silvento ec Series

Presentation of the various housing types and control boards

Completely functional system exhibit with four integrated units and controls. The Silvento ec can be equipped with various control boards and plug-in modules. Including brochure holder and lighting. Power connection with standard Schuko plug.



Dimensions in mm (H x W x D)
2076 x 1000 x 550



SYSTEM EXHIBITS

Are handmade and assembled ready for use at LUNOS. Please note the size of the exhibit on delivery and at the place of use.

System Exhibit: Silvento ec Series

One exhibit for all housing installation types



Silvento ec with housing type

- KL-EC:** Silvento ec as clamp-in fan
V-EC + 3/UP: In a flush-mounted housing
V-EC + 3/AP: In a surface-mounted housing
V-EC + 3/UP-AS 17,5:
 In an outer wall housing




Available control boards

- 5/EC-ZI:** Basic board
5/EC-ZI 90: Basic board with additional ventilation stage 90 m³/h
5/EC-FK: Comfort board
5/EC-FK 90: Comfort board with additional ventilation stage 90 m³/h
5/EC-KE: Comfort board for cellar ventilation
5/EC-FK+: Comfort board + VOC Sensor
5/EC-FK 90+: Comfort board + VOC Sensor with additional ventilation stage 90 m³/h



Available additional modules

- 5/BM:** Motion detector



Additional switches

- 5/W:** One-rocker switch
5/W2FK: Two-rocker switch for comfort board



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your system exhibit according to your wishes.

System Exhibit: LUNOMAT

Presentation of the LUNOMAT central domestic ventilation unit

Completely functional system exhibit with the LUNOMAT central unit. Assembled as standard with valves for supply and exhaust air, outer hoods and control. Equipped with brochure holder and lighting.

Power connection with standard Schuko plug.



Dimensions in mm (H x W x D)

2076 x 1000 x 550



SYSTEM EXHIBITS

Are handmade and assembled ready for use at LUNOS. Please note the size of the exhibit on delivery and at the place of use.

System Exhibit: LUNOMAT

The variety of combination



Available controls

- 5/UNI-FT:** Universal Control
- 5/SC-FT:** Smart Comfort
- 5/GS:** Gesture Control



Available room air valves

- Disc valve fresh air**
- Disc valve exhaust air**



Available outer hoods

- 1/HWE:** Outer hood white
- 1/HAZ:** Outer hood anthracite
- 1/HES:** Outer hood stainless steel



For an overview of the basic prices and the prices for the optional accessories, please see pages 20 - 21.

In this general overview, you can put together your system exhibit according to your wishes.

System Exhibits - General Overview

Select for the exhibit the controls, inner screens and outer closures of your choice.

Equipment	Exhibits		System exhibit: 160 series with three units each		System exhibit: Exhaust air with two units each	
	Art.-No.	Price	Art.-No.	Price	Art.-No.	Price
System Exhibits: in the standard version	e ² series	040 239	o. r.	System exhaust air KL-EC	040 243	o. r.
	System HR	040 240	o. r.	System exhaust air V-EC +3/AP	040 244	o. r.
	ALD series	040 241	o. r.	System exhaust air V-EC +3/UP	040 245	o. r.
	System exhaust air 160 series	040 242	o. r.			
Built-in devices / fan variants	For e ² series: e ² , e ² 60 and e ² short		incl.	ALD, ALD-SV or ALD-S and KL-EC		incl.
	For System HR: e ⁹⁰ , e ² and e ² 60		incl.	ALD, ALD-SV or ALD-S and V-EC + 3/AP		+ 100 €
	For ALD series: ALD, ALD-SV and ALD-S		incl.	ALD, ALD-SV or ALD-S and V-EC + 3/UP		+ 100 €
Inner screens (One product per built-in device)	9/IBE		incl.	9/IBE		incl.
	9/IBS		+ 100 €	9/IBS		+ 100 €
	9/IBK, 9/IBK-H		+ 50 €	9/IBK, 9/IBK-H		+ 50 €
	9/IBG, 9/IBG-H		+ 100 €	9/IBG, 9/IBG-H		+ 100 €
Outer closures: - Outer grilles or - Outer hoods (One product per built-in device) *Exception: Silvento ec	1/WE 180		incl.	1/WE 180		incl.
	1/AZ 180		incl.	1/AZ 180		incl.
	1/BE 180		incl.	1/BE 180		incl.
	1/HWE		+ 50 €	1/HWE		+ 50 €
- Two-channel outer hoods (Only for ego)	1/HAZ		+ 50 €	1/HAZ		+ 50 €
	1/HES		+ 50 €	1/HES		+ 50 €
	1/HWE-2		+ 50 €			
Control units/ Control boards (One product per built-in device) *Exception: all ALDs	5/UNI-FT		incl.	5/EC-ZI		incl.
	5/SC-FT		+ 50 €	5/EC-ZI 90		incl.
	5/GS		+ 100 €	5/EC-FK		+ 30 €
				5/EC-FK 90		+ 30 €
Additional modules				5/EC-KE		+ 30 €
				5/EC-FK+		+ 50 €
Switches (One product per built-in device) *only Silvento ec				5/EC-FK 90+		+ 50 €
				5/BM		+ 50 €
				5/W		incl.
				5/W2 FK		incl.

o. r.: on request

Exhibits in standard design:

Even in the basic version, the exhibits are fully functional and are equipped with high-quality parts. The listed optional extras provide more individual functions and a special appearance of the exhibits.

Online-Configurator

The Configurator

Alternatively, you can conveniently put together your exhibit online.



System exhibit: Silvento ec series with four units			System exhibit: LUNOMAT with one unit		
	Art.-No.	Price		Art.-No.	Price
Serie Silvento ec	040 246	o. r.	LUNOMAT	040 247	o. r.
KL-EC V-EC + AP surface-mounted housing V-EC + UP in-wall housing V-EC + UP-AS 17,5 housing		incl. incl. incl. inkl.	Central unit LUNOMAT		incl.
2/S-EC		incl.	valve fresh air valve exhaust air		inkl. inkl.
1/WE 115 1/AZ 115 1/BE 115		incl. incl. incl.			
1/HWE 115 1/HAZ 115		+ 30 € + 30 €	1/HWE 1/HAZ 1/HES		incl. incl. incl.
5/EC-ZI 5/EC-ZI 90 5/EC-FK 5/EC-FK 90 5/EC-KE 5/EC-FK+ 5/EC-FK 90+		incl. incl. + 30 € + 30 € + 30 € + 50 € + 50 €	5/UNI-FT 5/SC-FT 5/GS		incl. + 50 € + 100 €
5/BM		+ 50 €			
5/W 5/W2 FK		incl. incl.			

**LUNOS Lüftungstechnik GmbH & Co. KG
für Raumlufsysteme**

Wilhelmstraße 31 · 13593 Berlin
PO Box 200454 · 13514 Berlin

Phone +49 30 362001-0

Fax +49 30 362001-89

info@lunos.de

www.lunos.de

